

### Paper list by Thomas Mehner

100. Mehner, T., Busch, S., Helland, I.P., Emmrich, M. & Freyhof, J.: Temperature-related nocturnal vertical segregation of coexisting coregonids. *Ecology of Freshwater Fish* (in press).
99. Mehner, T., Pohlmann, K., Elkin, C., Monaghan, M.T., Nitz, B. & Freyhof, J. (2010): Multiple speciation modes in three sympatric population pairs reflect patterns of postglacial evolution in Baltic ciscoes (*Coregonus albula* complex, Teleostei, Coregonidae). *BMC Evolutionary Biology* (in press).
98. Lewin, W.-C., Freyhof, J., Huckstorf, V., Mehner, T. & Wolter, C. (2010): When no catches matter: coping with zeros in environmental assessments. *Ecological Indicators* 10: 572-583.
97. Mehner, T. (2010): No empirical evidence for community-wide top-down control of prey fish density and size by fish predators in lakes. *Limnology and Oceanography* 55: 203-213.
96. Helland, I.P., Vøllestad, L.A., Freyhof, J. & Mehner, T. (2009): Morphological differences between two ecologically similar sympatric fishes. *Journal of Fish Biology* 75: 2756-2767.
95. Mehner, T., Pohlmann, K., Elkin, C., Monaghan, M.T. & Freyhof, J. (2009): Genetic mixing from enhancement stocking in commercially exploited vendace populations. *Journal of Applied Ecology* 46: 1340-1349.
94. Huckstorf, V., Lewin, W.-C., Mehner, T. & Wolter, C. (2009): Performance level and efficiency of two differing predator-avoidance strategies depend on nutritional state of the prey fish. *Behavioral Ecology and Sociobiology* 63: 1735-1742.
93. Kobler, A., Klefoth, T., Mehner, T. & Arlinghaus, R. (2009): Coexistence of behavioural types in an aquatic top predator: a response to resource limitation? *Oecologia* 161: 837-847.
92. Busch, S. & Mehner, T. (2009): Hydroacoustic estimates of fish population depths and densities at increasingly longer time scales. *International Review of Hydrobiology* 94: 91-102.
91. Ohlberger, J., Staaks, G., Petzoldt, T., Mehner, T. & Hölker, F. (2008): Physiological specialization by thermal adaptation drives ecological divergence in a sympatric fish species pair. *Evolutionary Ecology Research* 10: 1173-1185.
90. Mehner, T., Diekmann, M., Gonsiorczyk, T., Kasprzak, P., Koschel, R., Krienitz, L., Rumpf, M., Schulz, M. & Wauer, G. (2008): Rapid recovery from eutrophication of a stratified lake by disruption of internal nutrient load. *Ecosystems* 11: 1142-1156.
89. Ohlberger, J., Mehner, T., Staaks, G. & Hölker, F. (2008): Is ecological segregation in a sympatric species pair of coregonines supported by divergent feeding efficiencies? *Canadian Journal of Fisheries and Aquatic Sciences* 65: 2105-2113.
88. Ohlberger, J., Mehner, T., Staaks, G. & Hölker, F. (2008): Temperature-related physiological adaptations promote ecological divergence in a sympatric species pair of temperate freshwater fish, *Coregonus* spp. *Functional Ecology* 22: 501-508.
87. Mehner, T., Padisak, J., Kasprzak, P., Koschel, R. & Krienitz, L. (2008): A test of food web hypotheses by exploring time series of fish, zooplankton and phytoplankton in an oligo-mesotrophic lake. *Limnologica* 38: 179-188.
86. Brämick, U., Diekmann, M., Lemcke, R. & Mehner, T. (2008): Assessing shifts in fish assemblages of German large lakes by literature data and commercial catch statistics. *Fundamental and Applied Limnology* 171: 87-103.
85. Helland, I.P., Harrod, C., Freyhof, J. & Mehner, T. (2008): Co-existence of a pair of pelagic planktivorous coregonid fishes. *Evolutionary Ecology Research* 10: 373-390.

84. Mehner, T., Ihlau, J., Dörner, H., Hupfer, M. & Hölker, F. (2007): The role of insectivorous fish in fostering the allochthonous subsidy of lakes. *Limnology and Oceanography* 52: 2718-2721.
83. Mehner, T., Holmgren, K., Lauridsen, T.L., Jeppesen, E. & Diekmann, M. (2007): Lake depth and geographical position modify lake fish assemblages of the European 'Central Plains' ecoregion. *Freshwater Biology* 52: 2285-2297.
82. Kasprzak, P., Benndorf, J., Gonsiorczyk, T., Hülsmann, S., Koschel, K., Krienitz, L., Mehner, T., Schulz, H. & Wagner, A. (2007): Reduction of nutrient loading and biomanipulation as tools in water quality management: Long-term observations on Bautzen Reservoir and Feldberger Haussee (Germany). *Lake and Reservoir Management* 23: 410-427.
81. Mehner, T., Kasprzak, P. & Hölker, F. (2007): Exploring ultimate hypotheses to predict diel vertical migrations in coregonid fish. *Canadian Journal of Fisheries and Aquatic Sciences* 64: 874-886.
80. Hölker, F., Dörner, H., Schulze, T., Haertel-Borer, S.S., Peacor, S. & Mehner, T. (2007): Species-specific responses of planktivorous fish to the introduction of a new piscivore: implications for prey fitness. *Freshwater Biology* 52: 1793-1806.
79. Helland, I.P., Freyhof, J., Kasprzak, P. & Mehner, T. (2007): Temperature sensitivity of vertical distributions of zooplankton and planktivorous fish in a stratified lake. *Oecologia* 151: 322-330.
78. Lewin, W.-C., Arlinghaus, R. & Mehner, T. (2006): A review of documented and potential biological impacts of recreational angling: insights for management and conservation. *Reviews in Fisheries Science* 14: 305-367.
77. Dörner, H., Schulze, T., Mehner, T. & Hölker, F. (2006): The effect of temperature on mortality in small perch marked with coded wire tags. *Journal of Fish Biology* 69: 1255-1260.
76. Schulze, T., Dörner, H., Hölker, F. & Mehner, T. (2006): Determinants of habitat choice in a large planktivorous fish. *Journal of Fish Biology* 69: 1136-1150.
75. Schulze, T., Baade, U., Dörner, H., Eckmann, R., Haertel-Borer, S., Hölker, F. & Mehner, T. (2006): Response of the residential fish community to introduction of a new predator type in a mesotrophic lake. *Canadian Journal of Fisheries and Aquatic Sciences* 63: 2202-2212.
74. Mehner, T. (2006): Prediction of hydroacoustic target strength of vendace (*Coregonus albula*) from concurrent trawl catches. *Fisheries Research* 79: 162-169.
73. Schulz, M., Freyhof, J., Saint-Laurent, R., Ostbye, K., Mehner, T. & Bernatchez, L. (2006): Evidence for independent origin of two spring-spawning ciscoes in Germany (Salmoniformes: Coregonidae). *Journal of Fish Biology* 68 (Supplement A): 119-135.
72. Garcia, X.-F., Diekmann, M., Brämick, U., Lemcke, R. & Mehner, T. (2006): Correlations between type-indicator fish species and lake productivity in German lowland lakes. *Journal of Fish Biology* 68: 1144-1157.
71. Mehner, T. (2006): Individual variability of diel vertical migrations in European vendace (*Coregonus albula*) explored by stationary vertical hydroacoustics. *Ecology of Freshwater Fish* 15: 146-153.
70. Mehner, T., Ihlau, J., Dörner, H. & Hölker, F. (2005): Can feeding of fish on terrestrial insects subsidize the nutrient pool of lakes? *Limnology and Oceanography* 50: 2022-2031.
69. Diekmann, M., Brämick, U., Lemcke, R. & Mehner, T. (2005): Habitat-specific fishing revealed distinct indicator species in German lowland lake fish communities. *Journal of Applied Ecology* 42: 901-909.
68. Okun, N., Lewin, W.-C. & Mehner, T. (2005): Top-down and bottom-up impacts of juvenile fish in a littoral reed stand. *Freshwater Biology* 50: 798-812.

67. Okun, N., Mendonca, R. & Mehner, T. (2005): Diel shifts in community composition and feeding of juvenile fish in the pelagic area of a large shallow lake. *Limnologica* 35: 70-77.
66. Arlinghaus, R. & Mehner, T. (2005): Determinants of management preferences of recreational anglers in Germany: Habitat management versus fish stocking. *Limnologica* 35: 2-17.
65. Wysujack, K. & Mehner, T. (2005): Can feeding of European catfish prevent cyprinids from reaching a size refuge? *Ecology of Freshwater Fish* 14: 87-95.
64. Okun, N. & Mehner, T. (2005): Distribution and feeding of juvenile fish on invertebrates in littoral reed (*Phragmites*) stands. *Ecology of Freshwater Fish* 14: 139-149.
63. Okun, N. & Mehner, T. (2005): Interactions between juvenile roach or perch and their invertebrate prey in littoral reed vs. open water enclosures. *Ecology of Freshwater Fish* 14: 150-160.
62. Mehner, T., Hölker, F. & Kasprzak, P. (2005): Spatial and temporal heterogeneity of trophic variables in a deep lake as reflected by repeated singular samplings. *Oikos* 108: 401-409.
61. Mehner, T., Diekmann, M., Brämick, U & Lemcke, R. (2005): Composition of fish communities in German lakes as related to lake morphology, trophic state, shore structure and human use intensity. *Freshwater Biology* 50: 70-85.
60. Hölker, F. & Mehner, T. (2005): Simulation of trait-mediated and density-mediated indirect effects of piscivorous predators on a lake food web. *Basic and Applied Ecology* 6: 289-300.
59. Schulz, M., Koschel, R., Reese, C. & Mehner, T. (2004): Pelagic trophic transfer efficiency in an oligotrophic, dimictic deep lake (Lake Stechlin, Germany) and its relation to fisheries yield. *Limnologica* 34: 264-273.
58. Mehner, T., Arlinghaus, R., Berg, S., Dörner, H., Jacobsen, L., Kasprzak, P., Koschel, R., Schulze, T., Skov, C., Wolter, C. & Wysujack, K. (2004): How to link biomanipulation and sustainable fisheries management: a step-by-step guideline for lakes of the European temperate zone. *Fisheries Management and Ecology* 11: 261-275.
57. Niesar, M., Arlinghaus, R., Rennert, B. & Mehner, T. (2004): Coupling insights from a carp (*Cyprinus carpio* L.) angler survey with feeding experiments to evaluate composition, quality, and phosphorus input of groundbaits in coarse fishing. *Fisheries Management and Ecology* 11: 225-235.
56. Arlinghaus, R. & Mehner, T. (2004): A management-orientated comparative analysis of urban and rural anglers living in a metropolis (Berlin, Germany). *Environmental Management* 33: 331-344.
55. Arlinghaus, R. & Mehner, T. (2004): Testing the reliability and construct validity of a simple and inexpensive procedure to measure the use value of recreational fishing. *Fisheries Management and Ecology* 11: 61-64.
54. Wagner, A., Hülsmann, S., Dörner, H., Janssen, M., Kahl, U., Mehner, T. & Benndorf, J. (2004): Initiation of the midsummer decline of *Daphnia* as related to predation, non-consumptive mortality and recruitment: a balance. *Archiv für Hydrobiologie* 160: 1-23.
53. Lewin, W.-C., Okun, N. & Mehner, T. (2004) Determinants of the distribution of juvenile fish in the littoral area of a shallow lake. *Freshwater Biology* 49: 410-424.
52. Schulz, M., Kasprzak, P., Anwand, K. & Mehner, T. (2003): Diet composition and food preference of vendace (*Coregonus albula* (L.)) in response to seasonal zooplankton succession in Lake Stechlin. *Archiv für Hydrobiologie, Spec. Issues Advanc. Limnol.* 58: 215-226.
51. Lewin, W.-C., Kamjunke, N. & Mehner, T. (2003): Phosphorus uptake by *Microcystis* during passage through fish guts. *Limnology and Oceanography* 48: 2392-2396.

50. Anwand, K., Valentin, M. & Mehner, T. (2003): Species composition, growth and feeding ecology of fish community in Lake Stechlin - an overview. *Archiv für Hydrobiologie, Spec. Issues Advanc. Limnol.* 58: 237-246.
49. Mehner, T., Gassner, H., Schulz, M. & Wanzenböck, J. (2003): Comparative fish stock estimates in Lake Stechlin by parallel split-beam echosounding with 120 kHz. *Archiv für Hydrobiologie, Spec. Issues Advanc. Limnol.* 58: 227-236.
48. Arlinghaus, R. & Mehner, T. (2003): Characteristics of anglers living in the metropolitan area of Berlin (Germany): implications for urban fisheries management and research. *Proceedings of the 3<sup>rd</sup> World Recreational Fishing Conference*. Fisheries Division Publication, Department of Business Industries and Resource Development, Darwin (Australia): 117-120.
47. Arlinghaus, R. & Mehner, T. (2003): Socio-economic characterisation of specialised common carp (*Cyprinus carpio* L.) anglers in Germany, and implications for inland fisheries management and eutrophication control. *Fisheries Research* 61: 19-33.
46. Arlinghaus, R. & Mehner, T. (2003): Management preferences of urban anglers: habitat rehabilitation versus other options. *Fisheries* 28(6): 10-17.
45. Wanzenböck, J., Mehner, T., Schulz, M., Gassner, H. & Winfield, I.J. (2003): Quality assurance of hydroacoustic surveys: Repeatability of fish abundance and biomass estimates in lakes within and between hydroacoustic systems. *ICES Journal of Marine Science* 60: 486-492.
44. Kasprzak, P., Koschel, R., Krienitz, L., Gonsiorczyk, T., Anwand, K., Laude, U., Wysujack, K., Brach, H. & Mehner, T. (2003): Reduction of nutrient loading, planktivore removal and piscivore stocking as tools in water quality management: The Feldberger Haussee biomanipulation project. *Limnologica* 33: 190-204.
43. Arlinghaus, R., Mehner, T. & Cowx, I.G. (2002): Reconciling traditional inland fisheries management and sustainability in industrialised countries, with emphasis on Europe. *Fish and Fisheries* 3: 261-316.
42. Wysujack, K., Laude, U., Kasprzak, P. & Mehner, T. (2002): Management of a pikeperch stock in a long-term biomanipulated stratified lake: efficient predation vs. low recruitment. *Hydrobiologia* 479: 169-180.
41. Okun, N. & Mehner, T. (2002): Reed as an alternative habitat for young fish in a shallow eutrophic lake. *Verhandlungen der Internationalen Vereinigung für theoretische und angewandte Limnologie* 28: 1669-1672.
40. Kasprzak, P., Benndorf, J., Mehner, T. & Koschel, R. (2002) Biomanipulation of lake ecosystems: an introduction. *Freshwater Biology* 47: 2277-2281.
39. Hölker, F., Haertel, S., Steiner, S. & Mehner, T. (2002): Effects of piscivore-mediated habitat use on growth, diet and zooplankton consumption of roach - an individual-based modelling approach. *Freshwater Biology* 47: 2345-2358.
38. Wysujack, K. & Mehner, T. (2002): Comparison of losses of planktivorous fish by predation and seine-fishing in a lake undergoing long-term biomanipulation. *Freshwater Biology* 47: 2425-2434.
37. Mehner, T., Benndorf, J., Kasprzak, P. & Koschel, R. (2002): Biomanipulation of lake ecosystems: Successful applications and expanding complexity in the underlying science. *Freshwater Biology* 47: 2453-2465.
36. Kamjunke, N., Schmidt, K., Pflugmacher, S. & Mehner, T. (2002): Consumption of cyanobacteria by roach (*Rutilus rutilus*): useful or harmful to the fish? *Freshwater Biology* 47: 243-250.
35. Kamjunke, N., Mendonca, R., Hardewig, I. & Mehner, T. (2002): Assimilation of different cyanobacteria as food and the consequences for internal energy stores in juvenile roach. *Journal of Fish Biology* 60: 731-738.

34. Mehner, T. & Schulz, M. (2002): Monthly variability of hydroacoustic fish stock estimates in a deep lake and its correlation to gillnet catches. *Journal of Fish Biology* 61: 1109-1121.
33. Benndorf, J., Kranich, J., Mehner, T. & Wagner, A. (2001): Temperature impact on the midsummer decline of *Daphnia galeata*: a long-term data analysis from the biomanipulated Bautzen Reservoir (Germany). *Freshwater Biology* 46: 199-211.
32. Dörner, H., Schultz, H., Mehner, T. & Benndorf, J. (2001): Interaction between prey availability and feeding behaviour of age-1 and age-2 perch (*Perca fluviatilis* L.) in a biomanipulated lake (Bautzen Reservoir, Germany). *Limnologica* 31: 11-16.
31. Wysujack, K., Laude, U., Anwand, K. & Mehner, T. (2001): Stocking, population development and food composition of pike *Esox lucius* in the biomanipulated Feldberger Haussee (Germany) - implications for fisheries management. *Limnologica* 31: 45-51.
30. Kamjunke, N. & Mehner, T. (2001): Coupling the microbial food web with fish: are bacteria attached to cyanobacteria an important food source for underyearling roach? *Freshwater Biology* 46: 633-639.
29. Mehner, T., Kasprzak, P., Wysujack, K., Laude, U. & Koschel, R. (2001): Restoration of a stratified lake (Feldberger Haussee, Germany) by a combination of nutrient load reduction and long-term biomanipulation. *International Review of Hydrobiology* 86: 251-263.
28. Laude, U., Anwand, K., Kasprzak, P., Mehner, T. & Koschel, R. (2000): Does competition between roach (*Rutilus rutilus* L.) and perch (*Perca fluviatilis* L.) at juvenile zooplanktivorous stages limit adult perch biomass in the biomanipulated Feldberger Haussee (Mecklenburg-Vorpommern, Germany)? *Verhandlungen der Internationalen Vereinigung für theoretische und angewandte Limnologie* 27: 544-547.
27. Mehner, T. (2000): Influence of spring water warming on predation rate of underyearling fish on *Daphnia* - a deterministic simulation approach. *Freshwater Biology* 45: 253-263.
26. Mehner, T. & Thiel, R. (1999): A review of predation impact by 0+ fish on zooplankton in fresh and brackish waters of the temperate Northern hemisphere. *Environmental Biology of Fishes* 56: 169-181.
25. Hülsmann, S., Mehner, T., Worischka, S. & Plewa, M. (1999): Is the different population dynamics of *Daphnia galeata* in littoral and pelagic areas of a long-term biomanipulated reservoir affected by age-0 fish predation? *Hydrobiologia* 408/409: 57-63.
24. Mehner, T., Plewa, M., Hülsmann, S. & Worischka, S. (1998): Gape-size-dependent feeding of age-0 perch (*Perca fluviatilis*) and age-0 zander (*Stizostedion lucioperca*) on *Daphnia galeata*. *Archiv für Hydrobiologie* 142: 191-207.
23. Mehner, T., Bauer, D. & Schultz, H. (1998): Early omnivory in age-0 perch (*Perca fluviatilis*) - a key for understanding long-term manipulated food webs? *Verhandlungen der Internationalen Vereinigung für theoretische und angewandte Limnologie* 26: 2287-2289.
22. Krause, J., Staaks, G. & Mehner, T. (1998): Habitat choice in shoals of roach (*Rutilus rutilus*) as a function of water temperature and feeding rate. *Journal of Fish Biology* 53: 377-386.
21. Mehner, T., Hülsmann, H., Worischka, S., Plewa, M. & Benndorf, J. (1998): Is the midsummer decline of *Daphnia* really induced by age-0 fish predation? Comparison of fish consumption and *Daphnia* mortality and life history parameters in a biomanipulated reservoir. *Journal of Plankton Research* 20: 1797-1811.
20. Worischka, S. & Mehner, T. (1998): Comparison of direct and indirect estimates of daily food consumption in larval perch and zander. *Journal of Fish Biology* 53: 1050-1059.
19. Mehner, T., Dörner, H. & Schultz, H. (1998): Factors determining the year-class strength of age-0 Eurasian perch (*Perca fluviatilis* L.) in a long-term biomanipulated reservoir. *Archive of Fishery and Marine Research* 46: 241-251.

18. Mehner, T., Mattukat, F., Bauer, D., Voigt, H. & Benndorf, J. (1998): Influence of diet shifts in underyearling fish on phosphorus recycling in a hypertrophic biomanipulated reservoir. *Freshwater Biology* 40: 759-769.
17. Mehner, T., Plewa, M., Hülsmann, S., Voigt, H. & Benndorf, J. (1997): Age-0 fish predation on daphnids - spatial and temporal variability in the top-down manipulated Bautzen Reservoir, Germany. *Archiv für Hydrobiologie Spec. Issue Advances in Limnology* 49: 13-25.
16. Wanzenböck, J., Whiteside, M.C. & Mehner, T. (1997): Defining a desirable sampling strategy for studies of age-0 fish - zooplankton interactions - A preliminary approach. *Archiv für Hydrobiologie Spec. Issues Advances in Limnology* 49: 137-138.
15. Hülsmann, S. & Mehner, T. (1997): Predation by underyearling perch (*Perca fluviatilis*) on a *Daphnia galeata* population in a short-term enclosure experiment. *Freshwater Biology* 38: 209-219.
14. Werner, M.-G., Mehner, T. & Schultz, H. (1996): Which factors influence the diet composition of age-0 ruffe (*Gymnocephalus cernuus* [L.]) in the Bautzen reservoir (Saxony, Germany)? *Limnologica* 26: 145-151.
13. Mehner, T., Schultz, H., Werner, M.-G., Wieland, F., Herbst, R. & Benndorf, J. (1996): Do 0+ percids couple the trophic cascade between fish and zooplankton in the top-down manipulated Bautzen reservoir (Germany)? *Publicaciones Especiales del Instituto Espanol de Oceanografia* 21: 243-251.
12. Mehner, T. (1996): Predation impact of age-0 fish on a copepod population in a Baltic Sea inlet as estimated by two bioenergetics models. *Journal of Plankton Research* 18: 1323-1340.
11. Thiel, R., Mehner, T., Köpcke, B. & Kafemann, R. (1996): Diet niche relationships among early life stages of fish in German estuaries. *Marine and Freshwater Research* 47: 123-136
10. Mehner, T., Schultz, H., Bauer, D., Herbst, R., Voigt, H. & Benndorf, J. (1996): Intraguild predation and cannibalism in age-0 perch (*Perca fluviatilis*) and age-0 zander (*Stizostedion lucioperca*) - Interactions with zooplankton succession, prey fish availability and temperature. *Annales Zoologici Fennici* 33: 353-361.
9. Mehner, T. (1996): Fish ecology in Germany, Austria and Switzerland - Overview and Introduction. *Limnologica* 26: 118-121.
8. Mehner, T., Schultz, H. & Herbst, R. (1995): Interaction of zooplankton dynamics and diet of 0+ perch (*Perca fluviatilis* L.) in the top-down manipulated Bautzen reservoir (Saxony, Germany) during summer. *Limnologica* 25: 1-9.
7. Mehner, T. & Benndorf, J. (1995): Eutrophication - a summary of observed effects and possible solutions. *Journal of Water Supply Research and Technology - Aqua* 44 Suppl. 1: 35-44.
6. Mehner, T. & Heerkloss, R. (1994): Direct estimation of food consumption of juvenile fish in a shallow inlet of the Southern Baltic. *Internationale Revue der gesamten Hydrobiologie* 79: 295-304
5. Mehner, T. & Wieser, W. (1994a): Energetics and metabolic correlates of starvation in juvenile perch (*Perca fluviatilis*). *Journal of Fish Biology* 45: 325-333.
4. Mehner, T. & Wieser, W. (1994b): Effects of temperature on allocation of metabolic energy in perch (*Perca fluviatilis*) fed submaximal rations. *Journal of Fish Biology* 45: 1079-1086.
3. Mehner, T. (1993): Distribution and diet composition of 0+ herring (*Clupea harengus* L.) and perch (*Perca fluviatilis* L.) in a shallow estuary of the Southern Baltic. *Archiv für Hydrobiologie* 128: 309-316.
2. Mehner, T. (1992): Diet spectra of *Pomatoschistus microps* (Kroyer) and *Pomatoschistus minutus* (Pallas) (Teleostei, Gobiidae) during first weeks after hatching. *Zoologischer Anzeiger* 229: 13-20.

1. Mehner, T. (1990): Zur Bestimmung der Beutfischarten aus Fragmenten der Wirbelsäule bei der Nahrungsanalyse (Osteichthyes, Teleostei). *Zoologischer Anzeiger* 225: 210-222.